

PALM Intranet

Application  
Number 

IDS Flag Clearance for Application 10500374

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
M844	2004-10-28	21	Y <input checked="" type="checkbox"/>	2006-12-18 16:44:50.0	ttran10
<input type="button" value="Update"/>					

10/500374

Inventor: MORI, YUKIO, et al

Status: 71 - RESPONSE TO NON-FINAL OFFICE ACTION ENTERED AND FORWARDED TO EXAMINER





Title: ORGANIC EL DISPLAY LUMINANCE CONTROL METHOD AND LUMINANCE CONTROL CIRCUIT

Examiner: TRAN, THUY VINH

GAU: 2821

Classification: 315/169.300

All tab report (2 items, sorted by Review Date ASC)

IDS	AnnotAvail	Doc Code	Date	Pages	Content	Entry #	Review Date	Reviewer
		IDS	06/28/2004	3			N/A	
		IDS	10/28/2004	3	M844	21	12/18/2006 16:44:50	ttran10

EAST - [Additional\_EAST\_Text\_search.wsp1]

File View Edit Tools Window Help

Search Limit Browse Queue Clear

DBs US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM\_TDB

Default operator: OR

Plurals  
Highlight all hit terms initially

BRS:  
 Pending  
 Active  
 L2: (1223) ((luminance or illumination or brightness) near2 controlS4) and organic and electroluminescenceS2 and display  
 L3: (267) 2 and ((calculatS3 or computS3 or measurS3) near3 (luminance or brightness or illumination))  
 L4: (96) 3 and ((video or image) near3 input)  
 L6: (5) 4 and (amplitude near4 (video or image))  
 L5: (46) 4 and amplitude  
 Failed  
 Saved  
 Favorites  
 Tagged (0)  
 UDC  
 Queue  
 Trash

BRS form ISSR form Image Text HTML

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Er	Error
1	BRS	L2	1223	((luminance or illumination or brightness) near2 controlS4) and organic and electroluminescenceS2 and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/11 16:48			
2	BRS	L3	267	2 and ((calculatS3 or computS3 or measurS3) near3 (luminance or brightness or illumination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/11 16:49			
3	BRS	L4	96	3 and ((video or image) near3 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/11 16:50			
4	BRS	L6	5	4 and (amplitude near4 (video or image))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/11 16:51			
5	BRS	L5	46	4 and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/11 16:57			

Hits Details HTML



Active

BRS form IS&amp;R form Image Text HTML

	Type	L #	Hits	Search Text	DBs	Time Stamp	C	Er	Erro
1	BRS	L1	1216	(OLED or (organic near2 electroluminescent near2 display)) and (controlS4 near2 (luminance or illumination or brightness))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:12			
2	BRS	L2	239	1 and ((D/A or (digital near2 analog)) near2 converter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:02			
3	BRS	L3	48	2 and (video near2 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:03			
4	BRS	L4	9	3 and (reference near2 voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 12:35			
5	BRS	L5	136	2 and video	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 12:35			
6	BRS	L6	43	5 and (reference near2 voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:04			
7	BRS	L7	254	1 and (((D/A or (digital near2 analog)) near2 converter) or DAC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:14			
8	BRS	L8	50	7 and (video near2 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:03			
9	BRS	L9	10	8 and (reference near2 voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:15			
10	BRS	L10	78	7 and (reference near2 voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:06			
11	BRS	L11	53	10 and video and digital	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:38			
12	BRS	L12	1932	(OLED or (organic near2 light near2 emitting near2 diode) or (electroluminescenS2 near2 display)) and (controlS4 near2 (luminance or illumination or brightness))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:14			
13	BRS	L13	396	12 and (((D/A or (digital near2 analog)) near2 converter) or DAC or (converter same digital same analog))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:15			
14	BRS	L14	116	13 and (reference near2 voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:15			
15	BRS	L15	26	14 and ((calculatS3 or measurS5 or discernS3) near2 (luminance or brightness or illumination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:38			
16	BRS	L16	232	12 and ((calculatS3 or measurS5 or discernS3) near2 (luminance or brightness or illumination))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:38			
17	BRS	L17	116	16 and video and digital	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:51			
18	BRS	L18	35	17 and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:50			
19	BRS	L19	36	16 and (video near3 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/12/01 13:51			

Hits Details HTML

Ready



Active

BRS form IS&amp;R form Image Text HTML

	Type	L #	Hits	Search Text	DBs	Time Stamp	C	E	Er
1	BRS	L2	147	(organic near3 electroluminescenS2) and display and (calculatS3 near3 (luminance or illumination or brightness))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 15:06			
2	BRS	L4	3	3 and (controlS4 near2 amplitude)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 14:52			
3	BRS	L3	13	(organic near3 electroluminescenS2) and display and (calculatS3 near3 (luminance or illumination or brightness)) and (video near3 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 14:36			
4	BRS	L5	49	(organic near3 electroluminescenS2) and display and (calculatS3 near3 (luminance or illumination or brightness)) and video	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 14:37			
5	BRS	L6	46	(organic near3 electroluminescenS2) and display and (calculatS3 near3 (luminance or illumination or brightness)) and ((video or image) near2 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 14:53			
6	BRS	L20	221	(OLED or (organic near4 electroluminescenS2)) and display and (calculatS3 near3 (luminance or illumination or brightness))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 15:04			
7	BRS	L21	3	20 and (controlS4 near2 amplitude)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 14:52			
8	BRS	L22	86	20 and ((video or image) near3 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 15:05			
9	BRS	L24	9	23 and amplitude	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 14:56			
10	BRS	L23	34	22 and ((predetermined or preselected or desired or threshold or selected or determined or preset) near2 (illumination or brightness or luminance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 14:57			
11	BRS	L25	75	22 and digital	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 14:58			
12	BRS	L26	39	25 and converter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 15:03			
13	BRS	L27	1038	(OLED or (organic near4 electroluminescenS2)) and display and ((digital-to-analog or (digital near2 analog) or D/A) near2 converter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 15:05			
14	BRS	L28	375	27 and ((video or image) near3 input)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 15:06			
15	BRS	L29	74	28 and (reference near3 voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 15:06			
16	BRS	L30	6	29 and (calculatS3 near3 (luminance or illumination or brightness))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2006/08/31 15:07			

Hits Details HTML

Ready

ALM